


LED A19 6W

FEATURES & BENEFITS

- UL listed, Energy Star
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved




DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
A19 6W	2.36"	4.33"

LED PAR SERIES

Product Name	Watts	Dim	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	UL/CUL	ES
A19	6	YES	12V	480LM	2700K	>80	Omni	E26	40W	YES	YES
					3000K						
					4000K						
					5000K						
A19	6	YES	12V	480LM	2700K	>80	Omni	e26	40W	YES	NO
					3000K						
					4000K						
					5000K						




FEATURES & BENEFITS

- UL listed, Energy Star
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved




DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
A19 9W	2.36"	4.33"

LED PAR SERIES

Product Name	Watts	Dim	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	UL/CUL	ES
A19	9	YES	120V	800LM	2700K	>80	Omni	E26	60W	YES	YES
					3000K						
					4000K						
					5000K						
A19	9	YES	120V	800LM	2700K	>80	Omni	e26	60W	YES	YES
					3000K						
					4000K						
					5000K						




FEATURES & BENEFITS

- UL listed, Energy Star
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved



DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
A19 9W	2.36"	4.33"

LED PAR SERIES

Product Name	Watts	Dim	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	UL/CUL	ES
A19	12	YES	120V	1100LM	2700K 3000K 4000K 5000K	>80	Omni	E26	75W	YES	YES
	14	YES	120V	1500LM	2700K 3000K 4000K 5000K	>80	Omni	E26	100W	YES	NO
	14	NO	120V	1500LM	2700K 3000K 4000K 5000K	>80	Omni	E26	100W	YES	NO
	15	YES	120V	1600LM	2700K 3000K 4000K 5000K	>80	Omni	E26	100W	YES	YES



The U.S. Department of Energy's LED Lighting Facts® Program has verified product performance based on industry-standardized testing.



An initiative of the Foreign Trade Association (FTA)
Business Social Compliance Initiative

