


# LED PAR20

## FEATURES & BENEFITS

- CULUS listed, Energy Star
- Dimmable
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved



## DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
<b>PAR20</b>	2.48"	3.11"

## LED PAR SERIES

Product Name	Watts	Dim	Model No.	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	Size
	7W	Yes	HTP20YYDA524/XXK	120V	500Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	50w	63x80
PAR20	7W	Yes	HTP20YYDB524/XXK	120V	500Lm	2700k 3000k 4000k 5000K	>80	25° 40° 60°	E26	50w	63x80
	7W	No	HTP20YYB524/XXK	120V	500Lm	2700k 3000k 4000k 5000K	>80	25° 40° 60°	E26	50w	63x80



The U.S. Department of Energy's LED Lighting Facts® Program has verified product performance based on industry-standard testing.



An initiative of the Foreign Trade Association (FTA)  
Business Social Compliance Initiative




## FEATURES & BENEFITS

- CULUS listed, Energy Star
- Dimmable
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved




## DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
<b>PAR30L</b>	3.74"	4.52"

## LED PAR SERIES

Product Name	Watts	Dim	Model No.	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	Size
PAR30 Long Neck	10W	Yes	HTP30YYDA525/XXK	120V	800Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	75w	95x115
PAR30 Long Neck	10W	NO	HTP30YYA525/XXK	120V	800Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	75w	95x115



Business Social Compliance Initiative  
An initiative of the Foreign Trade Association (FTA)




# LED PAR30S

## FEATURES & BENEFITS

- CULUS listed, Energy Star
- Dimmable
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved



## DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
<b>PAR30S</b>	3.74"	3.58"

## LED PAR SERIES

Product Name	Watts	Dim	Model No.	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	Size
PAR30 Short Neck	10W	Yes	HTP30SNYYDA525/XXK	120V	800Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	75w	95X95



The U.S. Department of Energy's LED Lighting Facts® Program has verified product performance based on industry-standard testing.



Business Social Compliance Initiative  
An initiative of the Foreign Trade Association (FTA)




# LED PAR38

## FEATURES & BENEFITS

- CULUS listed, Energy Star
- Dimmable
- High CRI 80+
- 25,000 hrs. average life
- 3-year limited warranty
- Damp location approved



## DIMENSIONAL DRAWING



	M.O.D.	M.O.L.
<b>PAR38</b>	4.72"	5.07"

## LED PAR SERIES

Product Name	Watts	Dim	Model No.	Volts	Lumen	CCT	CRI	Beam Angle	Base	Replace	Size
PAR38	12W	Yes	HTP38YYDA534/XXK	120V	950Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	90w	120x135
PAR38	15W	Yes	HTP38YYDA535/XXK	120V	1200Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	90w	120x135
PAR38	15W	NO	HTP38YYA535/XXK	120V	1200Lm	2700k 3000k 4000k 5000k	>80	25° 40° 60°	E26	90w	120x135



The U.S. Department of Energy's LED Lighting Facts® Program has verified product performance based on industry-standard testing.



An initiative of the Foreign Trade Association (FTA)  
Business Social Compliance Initiative

